

Product # _____ Type _____ Date _____

Project Name _____

Project Location _____ Prepared By _____

AWMHM Series

A full cutoff architectural half-moon wall pack for specification grade outdoor applications with a wide/forward asymmetrical distribution.

Housing

Die-cast aluminum construction with tempered glass lens complete with stainless steel hardware.

Optics/Lens

One piece anodized aluminum specular reflector can easily be removed by loosening screws to gain access to ballast components. Tempered clear glass lens with silicone gasket is secured to door with stainless screws.

Electrical

Performance of up to 101 lumens per watt. Available in 4000K or 5000K CCT. CRI of 80 or greater. Industrial grade, standard button photocell. Dimming available. Dark sky compliant.

Mounting

Mounts to standard four inch square electrical junction boxes. Alternate junction box mounting possible via universal mounting ring. Easy installation with hands free mounting.

Finish



Standard finish is chip and fade resistant powder coat bronze finish. Other colors upon request.



Suitable for wet locations
Lamp included



Dimensions: 18.10" x 7.10" x 9.10"
Weight: 13.00 lbs



Ordering Guide

MODEL	PHOTOMETRICS	MOUNTING	WATTAGE	VOLTAGE	BALLAST	FINISH	OPTION
AWMHM	3	9	50	120	H	BZ	EM
Architectural Wall Pak	3 - Wide Throw 4 - Fwd Throw 7 - Up/Down	9 - Wall Mount	35 - 35W 50 - 50W 70 - 70W	120 208 240 277 4MT	H - HPF N - NPF	BZ - Bronze	EM (EM Qz Rel.) SIF (1 fuse) DIF (2 fuse) PC- Photocell


Note: Due to continued efforts to improve our products, specifications are subject to change without notice.




835 Industrial Drive, Elmhurst, IL 60126 708.681.4330 www.nslights.com

AWMHM Series

35W



50W



70W

