




# Promenade - LED



## Photometrics

PROMENADE 14W FOOT CANDLE ISOLINE



BOLLARD FOOT CANDLE COLOR CODE	
FOOT CANDLES	COLOR CODE
20	
10	
5	
2	
1	
0.5	
0.2	
0.1	

PROMENADE 23W FOOT CANDLE ISOLINE



# Promenade - LED

PROMENADE POWER AND LUMEN DATA						
SYSTEM WATTS (W)	LED POWER (W)	COLOR TEMP (K)	LED LUMENS (+/- 5%)	LED LUMENS/WATT	LUMINAIRE LUMENS (+/- 5%)	LUMINAIRE LUMENS/WATT
14	12	3000	1350	96	563	40
14	12	4000	1400	100	584	42
23	20	3000	1850	80	772	34
23	20	4000	1900	82	793	34

## Ordering Guide

Model	Lamp Wattage	CCT Color Temp	Input VAC	Lighting Control	Finishes
PMD - Promenade	14 - 14 W AC	30K - 3000K	120 - 120 VAC	ND - Non Dimming	AN - Anthracite (Charcoal Gray)
	23 - 23W AC	40K - 4000K	277 - 277 VAC	DIM - Dimming	GR - Gray
		RGBW - Consult Factory			BZ - Bronze
					WT - White
					BK - Black
					SV - Silver

*Due to continuing efforts to improve our products, North Star Lighting reserves the right to make changes to this product at any time without prior notice.*

